

SDS SHEET

Rev 09-04-2018

CdTeSeS Nanocrystals in Toluene

1. PRODUCT IDENTIFICATION

Chemical Name: Cadmium Telluride Selenium Sulfide Type II Nanocrystals in Toluene
Supplier: NNCrystal US Corporation 534 W Research Center Blvd., Ste 254 Fayetteville, AR 72701
Product Line: CTSS
Phone: 479.595.0662
Recommended Use: Research and development use only

2. HAZARDS IDENTIFICATION

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302
Flammable liquids (Category 2), H225
Skin irritation (Category 2), H315
Skin sensitization (Sub-category 1B), H317
Eye irritation (Category 2A), H319
Acute toxicity, Inhalation (Category 4), H332
Carcinogenicity (Category 1A), H350
Reproductive toxicity (Category 2), H361
Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336
Specific target organ toxicity - repeated exposure (Category 2), H373
Aspiration hazard (Category 1), H304
Acute aquatic toxicity (Category 3), H402
Chronic aquatic toxicity (Category 4), H413


GHS Label Elements:



Signal Word: Danger

Hazardous Statements

| | |
|-------------|---|
| H225 | Highly flammable liquid and vapor. |
| H301 + H331 | Toxic if swallowed or if inhaled |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |



NNCrystal US Corporation

| | |
|-------|--|
| H350 | May cause cancer. |
| H360 | May damage fertility or the unborn child |
| .H361 | Suspected of damaging fertility or the unborn child. |
| H373 | May cause damage to organs (Gastro-intestinal system, Liver, Immune) through prolonged or repeated exposure. |
| H373 | May cause damage to organs (Kidney, Bone) through prolonged or repeated exposure if swallowed. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |


Precautionary Statements

| | |
|--------------------|--|
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat/sparks/open flames/hot surfaces. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ ventilating/ lighting/ equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304 + P340 + P312 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| P314 | Get medical advice/ attention if you feel unwell |
| P331 | Do NOT induce vomiting. |
| P332 + P313 | If skin irritation occurs: Get medical advice/ attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |
| P391 | Collect spillage. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

3. COMPOSITION/INFORMATION ON INGREDIENT

| <u>Substance Name</u> | <u>CAS #</u> |
|-----------------------|--------------|
| Cadmium | 7440-43-9 |
| Tellurium | 13494-80-9 |
| Selenium | 7782-49-2 |
| Sulfur | 7704-36-9 |
| Toluene | 108-88-3 |
| Octadecylamine | 124-30-1 |

4. FIRST AID MEASURES



NNCrystal US Corporation

Eye:

1. Flush immediately with warm water for at least 20 minutes.
2. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
3. If pain persists or recurs seek medical attention.
4. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin:

1. Removing contaminated clothing, shoes and leathery clothing and shoes.
2. Washing affected area thoroughly with soap and water for at least 20 minutes.
3. Call a physician if irritation develops or persists.

Ingestion:

1. If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower than their hips to help avoid possible aspiration of vomits.
2. If victim is conscious and alert, give 2-4 cupfuls of milk/water to dilute the substance in the stomach.
3. Never give anything by mouth to an unconscious person.
4. Don't induce vomiting unless directed to by a medical person.
5. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible, prior to initiating first aid procedures.
6. Seek medical attention.

Inhalation

1. Remove from further exposure and flush thoroughly with air.
2. Lay patient down. Keep warm and rested.
3. Prosthesis such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
4. If respiratory irritation seek immediate medical assistance and call a physician.

5. FIRE FIGHTING MEASURES

Suitable extinguishing agents: Foam, CO₂, dry chemical, water fog

Special Hazards:

1. Liquid and vapor are highly flammable.
2. Severe fire hazard when exposed to heat, flame and/or oxidizers.
3. Vapor may travel a considerable distance to source of ignition.
4. Heating may cause expansion and or decomposition leading to violent rupture of containers.

Protective equipment: Wear self-contained respirator if necessary. Wear protective gloves.


6. ACCIDENTAL RELEASE MEASURES

Person-related safety precautions: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

Measures for environmental protection: Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

1. Remove all ignition sources.
2. Clean up all spills immediately.
3. Avoid breathing vapors and contact with skin and eyes.
4. Control personal contact by using protective equipment.
5. Contain and absorb small quantities with vermiculite or other absorbent material.
6. Wipe up.
7. Collect residues in a flammable waste container.



7. HANDLING AND STORAGE

Precautions for safe handling:

1. Keep container tightly sealed. Store in refrigerator (2-8 °C) under dark conditions.
2. Wash thoroughly after handling.
3. Use only in well ventilated area.
4. Ground and bond containers when transferring.
5. Use spark free tools and explosion proof equipment.

Conditions for safe storage, including any incompatibilities

1. Keep container tightly sealed. Store at room temperature or in refrigerator (10-20 °C) under dark conditions.
2. Do not store with acids or oxidizers.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits Cadmium:

TWA: 0.01 ppm Consult local authorities for acceptable exposure limits.

Exposure Limits Tellurium:

TWA: 0.1 mg/m³ Consult local authorities for acceptable exposure limits.

Exposure Limits Selenium:

TWA: 0.2 mg/m³ Consult local authorities for acceptable exposure limits.

Exposure Limits Sulfur:

TWA: No exposure limit established

Exposure for Toluene solvent

OSHA – Final PELs: 200ppm TWA

OSHA Ceiling: 300ppm

ACGIH: 50ppm, skin-potential for cutaneous absorption

NIOSH: 100ppm TWA; 375 mg/m³ TWA; 550ppm IDLH

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages, and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands: Impervious gloves - check gloves using UV light after use to determine level of contamination

Eye protection: Safety glasses

Body protection: Protective work clothing

9. PHYSICAL AND CHEMICAL PROPERTIES:


Form: Liquid form. Crystalline powder, dissolved in a solvent

Color: Black – Red/Brown

Odor: Odor dependent upon solvent used. Crystalline powder is odorless

Melting point/Melting range: ~400°C to bulk melting point of nanocrystals. The solvent is liquid and melting point depends on the chemical composition of the solvent.

Boiling point/Boiling range: Determined by solvent used



NNCrystal US Corporation

Sublimation temperature / start: approx. 1150 °C

Flash point: Dependent upon solvent used

Ignition temperature: Dependent upon solvent used

Decomposition temperature: Not determined

Danger of explosion: Dependent upon solvent used. Crystalline powder does not present an explosion hazard.

Explosion limits: Currently unknown for nanocrystals

Vapor pressure: Dependent upon solvent used

Density: No data

10. STABILITY AND REACTIVITY

Reactivity: Vapor is explosive when exposed to heat or flame

Stability: Stable at room temperature in closed containers under normal storage and handling conditions

Incompatible materials: Heat, flame, strong oxidizers, nitric and sulfuric acids, chlorine, nitrogen tetraoxide; will attack some forms of plastics, rubber, and coatings

Hazardous decomposition products: Carbon monoxide, carbon dioxide, hydrocarbons

Thermal decomposition / conditions to be avoided: Not determined, but temperature increases will affect the solvent used.

Be aware of the necessary warnings for the specific solvent used.

11. TOXICOLOGICAL INFORMATION

Skin: Irritant to skin and mucous membranes.

Eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information: Danger through skin absorption.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Target Organs: Lungs, Liver, Kidneys

EPA-B1: Probable human carcinogen, limited evidence of carcinogenicity from epidemiologic studies.

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

NTP-2: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals. Carcinogen as defined by OSHA.

ACGIH A2: Suspected human carcinogen: Agent is carcinogenic in experimental animals at dose levels, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) considered relevant to worker exposure. Available epidemiologic studies are conflicting or insufficient to confirm an increased risk of cancer in exposed humans.

Reproductive toxicity: Damage to fetus possible suspected human reproductive toxicant. Reproductive toxicity - Rat - Inhalation Paternal Effects: Spermatogenesis (including genetic material, sperm morphology, motility, and count). Experiments have shown reproductive toxicity effects in male and female laboratory animals. **Developmental Toxicity:** Rat - Oral Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus)


12. ECOLOGICAL INFORMATION:

Do not allow material to be released to the environment without proper governmental permits.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.



NNCrystal US Corporation

Contaminated packaging
Dispose of as unused product

14. TRANSPORT INFORMATION

U.S. DOT 49 CFR 172.101

ID Number: UN1294

Hazard class: 3

Packing Group: II

Labeling Requirements: Flammable Liquid

Canadian Transportation of Dangerous Goods: UN1294, Class 3

Land Transport ADR/RID: UN1294, Class 3, Class Code F1, Pack group II

Air Transport IATA/ICAO: UN1294, Class or Division 3, Pack group II

Exceptions: 49 CFR 173.4

ID Number: UN1350

Hazard class: 9

Packing Group: III

Labeling Requirements: Sulfur

Exceptions: 49 CFR 173.

ID Number: UN3288

Hazard class: 6

Packing Group: III

Labeling Requirements: Poison

Exceptions: 49 CFR 173.

15. REGULATIONS

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA\ Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | | |
|----------|-------------------|--------------------------|
| Cadmium | CAS-No.7740-43-9 | Revision Date 2007-07-01 |
| Toluene | CAS-No. 108-88-3 | Revision Date 2007-07-01 |
| Selenium | CAS-No. 7782-49-2 | Revision Date 2007-07-01 |

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right to Know Components


| | | |
|-----------|--------------------|--------------------------|
| Cadmium | CAS-No.7740-43-9 | Revision Date 2007-07-01 |
| Toluene | CAS-No. 108-88-3 | Revision Date 2007-07-01 |
| Selenium | CAS-No. 7782-49-2 | Revision Date 2007-07-01 |
| Tellurium | CAS-No. 13494-80-9 | Revision Date 1993-04-24 |
| Sulfur | CAS-No. 7704-34-9 | Revision Date 1993-04-24 |

Pennsylvania Right to Know Components

| | | |
|-----------|--------------------|--------------------------|
| Cadmium | CAS-No.7740-43-9 | Revision Date 2007-07-01 |
| Toluene | CAS-No. 108-88-3 | Revision Date 2007-07-01 |
| Selenium | CAS-No. 7782-49-2 | Revision Date 2007-07-01 |
| Tellurium | CAS-No. 13494-80-9 | Revision Date 1993-04-24 |
| Sulfur | CAS-No. 7704-34-9 | Revision Date 1993-04-24 |

New Jersey Right to Know Components

| | | |
|---------|------------------|--------------------------|
| Cadmium | CAS-No.7740-43-9 | Revision Date 2007-07-01 |
|---------|------------------|--------------------------|



NNCrystal US Corporation

| | | |
|-----------|--------------------|--------------------------|
| Toluene | CAS-No. 108-88-3 | Revision Date 2007-07-01 |
| Selenium | CAS-No. 7782-49-2 | Revision Date 2007-07-01 |
| Tellurium | CAS-No. 13494-80-9 | Revision Date 1993-04-24 |
| Sulfur | CAS-No. 7704-34-9 | Revision Date 1993-04-24 |

California Prop. 65 Components

WARNING: This product contains a chemical known to the State of California to cause cancer.

| | | |
|---------|------------------|--------------------------|
| Cadmium | CAS-No.7740-43-9 | Revision Date 2007-07-01 |
| Toluene | CAS-No. 108-88-3 | Revision Date 2007-07-01 |

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm:

| | | |
|---------|------------------|--------------------------|
| Cadmium | CAS-No.7740-43-9 | Revision Date 2007-07-01 |
| Toluene | CAS-No. 108-88-3 | Revision Date 2007-07-01 |

16. OTHER INFORMATION

HMIS Rating

Health hazard: 4

Chronic Health Hazard: *

Flammability: 3

Physical Hazard: 2

NFPA Rating

Health hazard: 4

Fire Hazard: 3

Reactivity Hazard: 2